

## **Clinical Policy: Fluticasone Propionate (Xhance)**

Reference Number: CP.PMN.95

Effective Date: 03.01.18

Last Review Date: 08.24

Line of Business: HIM, Medicaid

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

### **Description**

Fluticasone propionate (Xhance<sup>®</sup>) is a synthetic trifluorinated corticosteroid with anti-inflammatory activity with a unique nasal delivery device.

### **FDA Approved Indication(s)**

Xhance is indicated for the treatment of

- Chronic rhinosinusitis with nasal polyps (CRSwNP) in adults
- Chronic rhinosinusitis without nasal polyps (CRSsNP) in adults

### **Policy/Criteria**

*Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.*

It is the policy of health plans affiliated with Centene Corporation<sup>®</sup> that Xhance is **medically necessary** when the following criteria are met:

#### **I. Initial Approval Criteria**

##### **A. Chronic Rhinosinusitis with nasal polyps (must meet all):**

1. Diagnosis of CRSwNP;
2. Age  $\geq$  18 years;
3. Failure of one formulary intranasal steroid (e.g., fluticasone propionate, mometasone, budesonide), unless clinically significant adverse effects are experienced or all are contraindicated;
4. Dose does not exceed (a and b):
  - a. 744 mcg per day;
  - b. 2 devices per 30 days.

**Approval duration: 6 months**

##### **B. Chronic Rhinosinusitis without nasal polyps (must meet all):**

1. Diagnosis of CRSsNP;
2. Age  $\geq$  18 years;
3. Failure of two formulary intranasal steroid (e.g., fluticasone propionate, mometasone, budesonide), unless clinically significant adverse effects are experienced or all are contraindicated;
4. Failure of one intranasal saline agent, unless clinically significant adverse effects are experienced or all are contraindicated (see *Appendix B*);

**CLINICAL POLICY**  
**Fluticasone Propionate**

5. Dose does not exceed (a and b):
  - a. 744 mcg per day;
  - b. 2 devices per 30 days.

**Approval duration: 6 months**

**C. Other diagnoses/indications (must meet 1 or 2):**

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
  - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: HIM.PA.33 for health insurance marketplace and CP.PMN.255 for Medicaid; or
  - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: HIM.PA.103 for health insurance marketplace and CP.PMN.16 for Medicaid; or
2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: HIM.PA.154 for health insurance marketplace and CP.PMN.53 for Medicaid.

**II. Continued Therapy****A. All Indications in Section I (must meet all):**

1. Member meets one of the following (a or b):
  - a. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
  - b. Member is currently receiving medication and is enrolled in a state and product with continuity of care regulations (*refer to state specific addendums for CC.PHARM.03A and CC.PHARM.03B*);
2. Member is responding positively to therapy (e.g., improvement in nasal congestion or obstruction, reduction of bilateral polyp grade);
3. If request is for a dose increase, new dose does not exceed (a and b):
  - a. 744 mcg per day;
  - b. 2 devices per 30 days.

**Approval duration: 12 months**

**B. Other diagnoses/indications (must meet 1 or 2):**

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
  - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: HIM.PA.33 for health insurance marketplace and CP.PMN.255 for Medicaid; or

**CLINICAL POLICY**  
**Fluticasone Propionate**

- b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: HIM.PA.103 for health insurance marketplace and CP.PMN.16 for Medicaid; or
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: HIM.PA.154 for health insurance marketplace and CP.PMN.53 for Medicaid.

**III. Diagnoses/Indications for which coverage is NOT authorized:**

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off-label use policies – HIM.PA.154 for health insurance marketplace and CP.PMN.53 for Medicaid or evidence of coverage documents.

**IV. Appendices/General Information**

*Appendix A: Abbreviation/Acronym Key*

FDA: Food and Drug Administration

CRS: chronic rhinosinusitis

CRSsNP: chronic rhinosinusitis without nasal polyps

CRSwNP: chronic rhinosinusitis with nasal polyps

*Appendix B: Therapeutic Alternatives*

*This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent for all relevant lines of business and may require prior authorization.*

<b>Drug</b>	<b>Dosing Regimen</b>	<b>Dose Limit/ Maximum Dose</b>
mometasone furoate (Nasonex®)	<b>CRSwNP, CRSsNP<sup>†</sup></b> 2 sprays/nostril (50 mcg/spray) IN BID (400 mcg/day)	400 mcg/day
fluticasone propionate (Flonase®)	<b>CRSwNP, CRSsNP</b> 2-4 sprays/nostril (50 mcg/spray) IN QD or BID (200 - 800 mcg)	800 mcg/day
budesonide (Rhinocort®)	<b>CRSwNP<sup>†</sup>, CRSsNP<sup>†</sup></b> 2 sprays/nostril (32 mcg/spray) IN QD (128 mcg)	128 mcg/day
OTC Ocean® 0.65% Nasal Spray	<b>CRSsNP<sup>†</sup></b> 2 sprays/nostril as needed	Various
OTC Altamist® 0.65% Nasal Spray	<b>CRSsNP<sup>†</sup></b> 2 sprays/nostril as needed	Various
OTC Ayr® Saline 0.65% Nasal Mist	<b>CRSsNP<sup>†</sup></b> 2 sprays/nostril as needed	Various

**CLINICAL POLICY**  
**Fluticasone Propionate**

Drug	Dosing Regimen	Dose Limit/ Maximum Dose
OTC Breathe Free <sup>®</sup> 0.65% Saline Nasal Spray	<b>CRSsNP<sup>†</sup></b> 2 sprays/nostril as needed	Various
Good Neighbor Pharmacy <sup>®</sup> (GNP) Nasal Moisturizing Spray 0.65% Solution	<b>CRSsNP<sup>†</sup></b> 2 sprays/nostril as needed	Various

*Therapeutic alternatives are listed as Brand name<sup>®</sup> (generic) when the drug is available by brand name only and generic (Brand name<sup>®</sup>) when the drug is available by both brand and generic.*

*<sup>†</sup>Off-label indication*

*Appendix C: Contraindications/Boxed Warnings*

- Contraindication(s): hypersensitivity to any ingredient in Xhance
- Boxed warning(s): none reported

**V. Dosage and Administration**

Indication	Dosing Regimen	Maximum Dose
CRSwNP, CRSsNP	1 to 2 sprays (93 mcg/spray) per nostril BID	744 mcg/day

**VI. Product Availability**

Nasal spray: 93 mcg of fluticasone propionate in each 106-mg spray with 120 metered sprays per device

**VII. References**

1. Xhance Prescribing Information. Yardley, PA; OptiNose US, Inc.; March 2024. Available at: <https://www.xhance.com>. Accessed May 13, 2024.
2. Newton JR, Ah-see KW. A review of nasal polyposis. *Ther Clin Risk Manag* 2008; 4(2):507-12. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2504067>. Accessed May 13, 2024.
3. Sotores D, Messina J, Carothers J, et al. A randomized, double-blind of an Exhalation Delivery System with fluticasone (EDS-FLU) for treatment of chronic rhinosinusitis with nasal polys (CRSwNP) (NAVIGATE I). *Journal of Allergy and Clinical Immunology*, Volume 139, Issue 2, AB66. Feb 2017. Available at: [http://www.optinose.com/wp-content/uploads/2017/10/AAAI\\_NAVIGATE\\_I\\_EDS-FLU\\_CRSwNP.pdf](http://www.optinose.com/wp-content/uploads/2017/10/AAAI_NAVIGATE_I_EDS-FLU_CRSwNP.pdf). Accessed May 13, 2024.
4. Leopold D, Elkayam D, Messina J, et al. A randomized double-blind trial of fluticasone propionate exhalation delivery system (FLU-EDS) for treatment of chronic rhinosinusitis with nasal polyps (NAVIGATE II). The University of Vermont, Optinose 2017. Available at: [http://www.optinose.com/wp-content/uploads/2017/10/NAVIGATE\\_II\\_FLU-EDS\\_for\\_CRSwNP.pdf](http://www.optinose.com/wp-content/uploads/2017/10/NAVIGATE_II_FLU-EDS_for_CRSwNP.pdf). Accessed May 13, 2024.

**CLINICAL POLICY**  
**Fluticasone Propionate**

5. Filiaci F, Passali D, Puxeddu R, Schrewelius C. A randomized controlled trial showing efficacy of once daily intranasal budesonide in nasal polyposis. *Rhinology* 2000 Dec; 38(4):185-90. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/11190754>. Accessed May 13, 2024.
6. Jankowski R, Klossek JM, Attali V, Coste A, Serrano E. Long-term study of fluticasone propionate aqueous nasal spray in acute and maintenance therapy of nasal polyposis. *Allergy* 2009 Jun; 64(6):944-50. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/19298572>. Accessed May 13, 2024.
7. Han JK, Bosson JV, Cho SH, et al. Multidisciplinary consensus on a stepwise treatment algorithm for management of chronic rhinosinusitis with nasal polyps. *Int Forum Allergy Rhinol.* 2021;1-10. Available at: <https://onlinelibrary.wiley.com/doi/10.1002/alr.22851>. Accessed May 13, 2024.
8. Rank MA, Chu DK, Bognanni A, et al. The Joint Task Force on Practice Parameters GRADE guidelines for the medical management of chronic rhinosinusitis with nasal polyposis. *J Allergy Clin Immunol.* 2023; 151(2): 386-392.
9. Peters AT, Spector S, Hsu J, et al. Diagnosis and management of rhinosinusitis: a practice parameter update. *Ann Allergy Asthma Immunol.* 2014;113(4):347-385. doi:10.1016/j.anai.2014.07.025.
10. Clinical Pharmacology [database online]. Elsevier, Inc.; 2024. Available at: <https://www.clinicalkey.com/pharmacology/>. Accessed June 18, 2024.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
1Q 2020 annual review: increased requirement to require a trial of 3 preferred intranasal corticosteroids; adjusted criteria to require one of the intranasal corticosteroids member must T/F be fluticasone; added criteria requiring medical justification why Xhance will work if generic fluticasone did not; changed commercial approval duration from length of benefit to 6/12 months; references reviewed and updated.	10.30.19	02.20
Added HIM line of business.	04.27.20	
1Q 2021 annual review: no significant changes; references to HIM.PHAR.21 revised to HIM.PA.154; references reviewed and updated.	10.09.20	02.21
Modified requirement from 3 intranasal steroids including fluticasone to any 2 intranasal steroids; removed criteria requiring medical justification since 2021 consensus panel treatment algorithm now recommends Xhance after traditional intranasal steroids due to its unique delivery method and improved deposition of fluticasone.	06.16.21	08.21
1Q 2022 annual review: no significant changes; references reviewed and updated.	09.13.21	02.22
Template changes applied to other diagnoses/indications and continued therapy section.	10.10.22	

**CLINICAL POLICY**  
**Fluticasone Propionate**

Reviews, Revisions, and Approvals	Date	P&T Approval Date
1Q 2023 annual review: no significant changes; references reviewed and updated.	11.03.22	02.23
RT4: clarified diagnosis from “nasal polyps” to “CRSsNP” per updated language in FDA approved indication.	02.10.23	
Per February SDC, modified requirement from two formulary intranasal steroids to require only one.	02.21.23	05.23
Per SDC, added the following clarification: For the Commercial line of business, this policy applies to Oregon formularies only. For California Commercial formularies, refer to the step therapy policy, CP.CPA.83.	05.04.23	
3Q 2023 annual review: no significant changes; references reviewed and updated.	05.19.23	08.23
RT4: added new indication for CRSsNP.	03.27.24	
3Q 2024 annual review: no significant changes; references reviewed and updated. Per June SDC, added criteria for CRSsNP and requiring trial of two intranasal corticosteroids and one intranasal saline agent; updated Appendix B with therapeutic alternatives for CRSsNP and intranasal saline agents.	06.06.24	08.24
Removed Commercial line of business and clarifications specific to Oregon (all Commercial plans will utilize the CP.CPA.83 Step Therapy Policy).	08.05.24	

**Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy,

## CLINICAL POLICY

### Fluticasone Propionate

contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment, or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members, and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

**Note:**

**For Medicaid members**, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene<sup>®</sup> and Centene Corporation<sup>®</sup> are registered trademarks exclusively owned by Centene Corporation.